AJAL AL ARABIA TRADING CO

الشركة أجل العربية للتجارة السيراميك وموادالبناء

FOR MEP & GAS NETWORKS



COMPANY PROFILE

FOR PLUMBING,FIRE FIGHTING,HVAC & GAS NETWORKS

TABLE OF CONTENT

Introduction 02

Mission & Vission 03

Quality Policy 04

Servies/Brands 05

Projects 06

Clients 08

Products 10

Contact Us 27



INTRODUCTION

Welcome to **Ajal Al Arabia** Trading Company, your premier importer and supplier of high-quality MEP solutions. Specializing in an extensive range of products including pipes, fittings, valves, hangers, supports, and various accessories, we cater to the diverse needs of projects and industries across plumbing, fire fighting, HVAC, and gas net-

With a commitment to excellence, we partner with renowned manufacturers to ensure that our clients receive only the best materials that meet international standards. Our expert team is dedicated to providing tailored solutions, ensuring that we meet the specific requirements of each project efficiently and effectively.

At **Ajal Al Arabia** Trading Company, we understand the critical role that reliable components play in the success of your projects. That's why we prioritize quality, durability, and performance in every product we offer considering the commercial aspect aswell . Our strategic location in Riyadh, allows us to serve a wide range of clients, from contractors to project managers and industrial companies, ensuring timely delivery and unparalleled customer service.

Choose **Ajal Al Arabia** Trading Company as your trusted partner in the industry, & experience the difference of working with a company that values integrity, quality, & customer satisfaction above all.



MISSION

At **Ajal Al Arabia** Trading Company, our mission is to provide the highest quality MEP & GAS solutions by importing and supplying premium pipes, fittings, valves, hangers & supports, and other accessories. We are committed to delivering exceptional service and innovative products that meet the diverse needs of our clients in plumbing, fire fighting, HVAC, and gas networks.

Our goal is to foster long-term partnerships built on trust, reliability, and a shared commitment to excellence, ensuring the success of every project we undertake. Through continuous improvement and a focus on sustainability, we aim to be a leading force in the industry, con-

VISION

Our vision at **Ajal Al Arabia** Trading Company is to be the leading provider of innovative MEP & GAS solutions in the SAUDI ARABIA, recognized for our unwavering commitment to quality, customer satisfaction, and sustainable practices. We aspire to set the standard in the industry by leveraging cutting-edge technology and fostering a culture of excellence and integrity. Through our strategic partnerships and dedication to continuous improvement, we aim to empower our clients and contribute positively to the infrastructure and development of the region, becoming the trusted partner of choice for all plumbing, fire fighting, HVAC, and gas network needs.



QUALITY POLICY

At **Ajal Al Arabia** Trading Company, we are committed to delivering the highest standards of quality in all our products and services. Our quality policy is founded on the following principles

01 CUSTOMER FOCUS

We prioritize the needs and expectations of our clients, striving to exceed them through superior product offerings and exceptional service.

02 CONTINUOUS IMPROVEMENT

We actively pursue opportunities to enhance our processes, products, and services through ongoing training, innovation, and feedback.

03 COMPLIANCE AND STANDARDS

We adhere to all relevant industry standards and regulations, ensuring that our products meet or exceed the required specifications for safety and performance.

04 SUPPLIER PARTNERSHIPS

We collaborate with reputable manufacturers and suppliers who share our commitment to quality, enabling us to offer reliable and durable products.


05 EMPLOYEE ENGAGEMENT

We foster a culture of quality among our team members by providing the necessary training resources, empowering them to take ownership of their roles in maintaining high standards.

06 SUSTAINABILITY

We are dedicated to sustainable practices that minimize our environmental impact while delivering quality solutions for our clients.

Through these principles, **Ajal Al Arabia** Trading Company aims to build lasting relationships with our clients and partners, ensuring that quality remains at the forefront of everything we



SERVICES

At **Ajal Al Arabia** Trading Company, we offer a comprehensive range of services designed to meet the diverse needs of our clients in the plumbing, fire fighting, HVAC, and gas networks. Our services include expert proposals to help you select the right products for your specific project requirements, timely and efficient delivery to ensure your operations run smoothly, and after-sales support under warranties. With a focus on quality and customer satisfaction, our dedicated team is here to support you every step of the way, making us your trusted partner in achieving project success.

BRANDS

Conex Bänninger Valves
GALA
NKK
INTERPIPE
SURYA
Jazeera Steel حديد الجزيرة
BOTH-WELL HIGH PRESSURE FITTINGS
HITACHI
JIANZHI
NATIONAL
SHURJOINT
LBC
BENKAN BENKAN Corporation
Kofco
TEMBO SEVEN STAR
Denso
Permatex
WIKA
ABRO
AND MORE...



PROJECTS



KING SALMAN PART PROJECT



SINDALAH ISLAND PROJECT




NEOM CONSTRUCTION VILLAGE PROJECT



MISK RIYADH PROJECT



ROSHN VILLAS PROJECT



RIYADH METRO PROJECT



KAFD PROJECT




PRINCES NOURAH UNIVERSITY PROJECT



SFMC RIYADH PROJECT



STC HEADQUARTER PROJECT



KAP 4 PROJECT



KAUST UNIVERSITY JEDDAH PROJECT



IKEA THUMAMA RIYADH PROJECT



ALNAKHEEL MALL RIYADH PROJECT



DALLAH NAMAR HOSPITAL PROJECT



AMAALA STAFF VILLAGE PROJECT



FAISALIA MALL PROJECT



SOLITAIRE MALL PROJECT



STC HEADQUARTER PROJECT



WAVE 2 SCHOOL PROJECT

and many more...



CLIENTS

NEOM

AMAALA

KING SALMAN PARK

QIDDIYA

ROSHN

RED SEA GLOBAL

RIYADH METRO

KAFD

STC

DGDA

DALLAH HOSPITAL

PEPSI

AL DAWAA

MISK

IKEA

and many more...







PIPES

NKK SEAMLESS PIPES

- Material: Carbon Steel – Black (Galvanized on demand)
- Wall Thickness: Sch 40 Sch 80 (above on demand)
- Size Range: ½" to 12" (above on demand)
- Standards: ASTM A53, API 5L Grade B, (others on demand)
- Application: Steam, Water, Gas, Oil & Air pipelines
- Origin: China

INTERPIPE SEAMLESS PIPES

- Material: Carbon Steel – Black (Galvanized on demand)
- Wall Thickness: Sch 40 Sch 80 (above on demand)
- Size Range: ½" to 12" (above on demand)
- Standards: ASTM A53, API 5L Grade B, (others on demand)
- Application: Steam, Water, Gas, Oil & Air pipelines
- Origin: Ukraine


SURYA ERW PIPES

- Wall Thickness: Sch 30 Sch 40
- Size Range: ½" to 16" (above on demand)
- Standards: UL - ASTM A53 Grade B
- Application: Water Systems & Fire Systems
- Material: Black and Galvanized
- Origin: India

AL JAZEERA ERW PIPES

- Wall Thickness: Sch 30 Sch 40
- Size Range: ½" to 8" (above on demand)
- Standards: UL - ASTM A53 Grade B
- Application: Water Systems

Jazeera Steel حديد الجزيرة





FITTINGS



BUTTWELD FITTINGS - BENKAN


- Material: Carbon Steel - Black
- Wall Thickness: Sch 40 Sch 80 (above on demand)
- Size Range: ½" to 24"
- Standards: ANSI , ASME B16.3, B16.14, B16.39
- Origin: China

GROOVED FITTINGS:

LBC , SHURJOINT & NATIONAL

- Material: Ductile Iron
- Pressure rating: Min 300 - Max 750 PSI
- Size Range: 1" to 24"
- Standards: UL - Listed FM - Approved ASTM - A536
- Origin: Taiwan, India, China







MALLEABLE IRON FITTINGS:

HITACHI & JIANZHI


- Material: Malleable Iron , Black and Galvanized
- Class: 150 (300 on demand)
- Size Range: ½" to 4"
- Thread: BSPT, NPT
- Standard: ANSI, ASME.B16.3, B16.14 B16.39 U/L Listed - FM approved
- Origin: Thailand & China

FORGED FITTINGS – BOTHWELL

- Material: Forged Steel
- Class: 3000 (6000, 9000 on demand)
- Size Range: 1/8" to 4"
- Thread: NPT
- Standard: ASME B16.11-2011. MSS SP-79, 83 , 95, 97 & BS 3799
- Origin: Taiwan







FLANGES & GASKETS




FLANGES - KOFCO

- Material: Forged Carbon Steel - Stainless Steel
- Class: 150-300 - PN 16, PN 25
- Size range: 1/2" to 24" (above on demand)
- Types: Welding Neck, Threaded, Slip-on, Blind
- Standards: ANSI AWWA API & MSS
- Origin: China

RUBBER GASKETS

- Class: 150, PN16
- Size range: 1/2" to 24" (above on demand)
- Thickness: 3mm
- Origin: KSA, India, China






FIBER GASKETS

- Type: Ring & Hole, ANSI 150, EN-16
- Size range: ½" to 24"
- Thickness: 3mm
- Origin: KSA, India, China

SPIRAL WOUND

- Spiral Wound
- Material: Stainless Steel 304 -316
- Class: 150 - 300
- Size range: ½" to 24"
- Origin: KSA, India, China





UNIVERSAL COUPLING FLANGE ADAPTOR – VICKING JOHNSONS

- Material: Ductile Iron
- Size range: 2" to 24" (above on demand)
- Standards: BS EN 1563 - BS EN 10025-2 Grade S275JR
- Origin: UK

Conex | Bänninger
Valves

HVAC & PLUMBING – VALVES



VALVE – DUCTILE IRON

- Body: Ductile Iron
- Type: Gate, Globe, Check, Y- Strainer, Butterfly, Balancing, Air & Control Valves
- Pressure rating: PN16 (PN20 PN25 on Demand)
- Size Range: 2" - 24" (above on demand)
- Standard: BS 5163, BS 5155, BS 7350, EN 12266, GB/25178
- Complete range epoxy coated: internally & externally
- Origin: China

VALVES – BRONZE

- Body: Bronze
- Type: Gate, Globe, Check, Y- Strainer, Balancing & Ball Valves
- Pressure rating: PN16 ,PN20, PN25, PN32, PN40
- Size Range: ½" - 4"
- Standard: EN 12288, EN 5154, BS 7350
- Origin: China





PRESSURE INDEPENDENT CONTROL VALVE (PICV)

- Body: Brass , Ductile Iron
- Type: Hook-up Kits, Threaded and Flanged PICV
- Pressure Rating: PN 16
- Size Range: ½ " to 10" , Hook-up Kit ½", ¾", 1" & 1-¼ "
- Origin: Korea

VALVES – BRASS

- Body: Brass
- Type: Gate, Globe, Check, Ball, Foot, Pressure reducing, Float Air Valves & Y- Strainer
- Pressure rating: PN10,PN16 ,PN20, PN25
- Size Range: ½" - 4"
- Standard: EN 12288, EN 13959 EN 10226-2
- Origin: China





RUBBER EXPANSION JOINTS

- Body: EPDM – Rubber Reinforced with Nylon and Stainless-Steel wire
- Type: Union (Double Sphere) Flange (Single & Double Sphere)
- Pressure rating: PN16
- Size Range: Union ½" to 4" – Flange 2" to 24"
- Standard: GB/D17241.6-1998
- Origin: China

GALA | Regulating Systems

FIRE PROTECTION PRODUCTS




VALVE - DUCTILE IRON

- Type: Flange & Groove
- Items: Gate, Check, Y-Strainer, Butterfly
- Pressure Rating: 300, 250, 200 psi
- Size Range: 2" to 24"
- Standard: AWWA C515, C508/BS5163
- Origin: USA

VALVES - BRASS

- Type: Threaded
- Items: Test & Drain, Fire Department Connection, Landing, Ball valve
- Pressure rating: 300 psi
- Size Range: ½" - 4"
- Origin: USA






WET ALARM CHECK VALVE ASSEMBLY

- Includes: Retard Chamber, Water Motor Alarm, Alarm Pressure Switch
- Body: Ductile Iron
- Pressure rating: 175 psi
- Size Range: 4" to 8"
- Origin: USA

SWITCHES

- Items: Temper Switch, Water flow Detector
- Origin: USA





FLEXIBLE CONNECTORS

- Body: EPDM – Rubber Reinforced with Nylon and Stainless-Steel wire
- Type: Union (Double Sphere) Flange (Single & Double Sphere)
- Pressure rating: PN16
- Size Range: Union ½" to 4" – Flange 2" to 24"
- Standard: American & British
- Origin: USA

GALA | Regulating Systems

FIRE PROTECTION PRODUCTS



BURRIED GATE VALVES

- Body: Ductile Iron
- Type: Non-Rising Stem
- Pressure Rating: 300, 250, 200 psi
- Standards: AWWA C515/BS 5163
- Size Range: 2” to 24”
- Origin: USA

POST INDICATOR

- Origin: USA






HYDRANTS

- Body: Ductile Iron
- Type: Dry barrel & Wet barrel
- Pressure Rating: 250 psi
- Design Standard: FM1510/UL246/AWWA C502
- Size Range: 6”
- Origin: USA

GATE VALVE ACCESSORIES

- Items: T-key, Spindles, Surface Box
- Origin: USA





DISMANTELING JOINTS

- Body: Carbon Steel
- Pressure Rating: PN-16/PN-25, class 150/class 300
- Size: 2½” to 88”
- Origin: USA

TEMBO SEVEN STAR®

PIPE HANGER & SUPPORTS

Pipe supports are designed to support insulated or non-insulated pipes allowing vertical adjustment and limited movement in the piping system. A wide range of pipe supports are available for various applications including, Clevis Hanger, Loop Hanger, J-Hanger, Bell Hanger, Wire Pipe Hanger, Milford Hanger, DWV Pipe Hanger...etc.

Pipe fasteners are designed for support and attachment of pipe to structural members. A wide range of pipe supports are available for various applications.




HANGERS

- Material: Mild Steel , EPDM Rubber
- Type: Clevis, Sprinkler, Hanger with EPDM lining, U-Strap
- Riser Clamp, U Bolt, Rubber Support insert
- Size range: ½" to 30"
- Standard: ANSI / MSS SP-58 & SP-69
- Origin: India

ROLLERS

- Material: Mild Steel
- Type: Roller Stand, Roller Chair, Roller Hanger, Pipe Roller
- Size range: 2" to 30"
- Standard: ANSI / MSS SP-58 & SP-69
- Origin: India







CHANNELS & BARS

- Material: Mild Steel
- Type: Slotted Channels, Angle Bars
- Length: 3Mtrs, 6 Mtrs
- Origin: India

THREADED ROD FASTENERS & ANCHORS

- Material: Mild Steel, Carbon Steel
- Type: Threaded Rod, Bolts, Nut, Washer, Anchors, G-Clip & beam Clamp
- Standard: ASTM , ASME, BS, DIN, BS EN ISO / JIS
- Origin: India





TEMBO SEVEN STAR®

PIPE HANGER & SUPPORTS





ANTI VIBRATION - SPRING

- Spring Hanger
- Closed Spring Mount
- Open Spring Mount

ANTI VIBRATION - PADS

- Ribbed Mounting Pad
- Waffle Pads
- Crock Sandwich Pads
- Metal Sandwich Pads





DIELECTRIC FITTINGS

- Dielectric Union
- Dielectric Flange

EXPANSION JOINT


- Threaded
- Flanged
  - i. Single Sphere
  - ii. Double Sphere





ANTI VIBRATION-RUBBER

- Rubber Hanger
- Duct Mount
- Turret Mount



HVAC INSTRUMENTS & MISCELLANEOUS



GUAGES & ACCESSORIES: WIKA & GALA

- Thermometer
- Pressure Gauge
- Siphon Tube
- Cock Valves





DENSO – ANTI CORROSION

- Type: Tape, Primer, Densopol, Densyl Mastic
- Size range: 50, 80, 100, 150 mm
- Standard: ASTM D1000
- Origin: UK



TEFLON TAPE

Permatex

PERMATEX



JUTE



CEMENT & CLEANER



AJAL AL ARABIA TRADING CO

الشركة أجل العربية للتجارة السيراميك وموادالبناء

FOR MEP & GAS NETWORKS

Contact Us

E : info@ajalarabia.com

W : www.ajalarabia.com

A : OFFICE 106 , BUILDING 6260, ADDITIONAL NUMBER 3965, POSTAL CODE 12836, IBN ALQAIM ALJAWZIA STREET,ALMALAZ DIST. , RIYADH , SAUDI ARABIA